

MBR20100CT Dual High Voltage Schottky Rectifier

Features

- Low Forward Voltage Drop
- Low Power Loss and High Efficiency
- High Surge Capability
- Rohs Compliant
- Matte Tin(Sn) Lead Finish
- Terminal Leads Surface is Corrosion Resistant and can withstand to 260°C





October 2010

0

PIN2

Mark : MBR20100CT

Absolute Maximum Ratings^{*} $T_a = 25^{\circ}C$ unless otherwise noted

Symbol	Parameter	Value	Unit
V _{RRM}	Maximum Repetitive Reverse Voltage	100	V
V _R	Maximum DC Reverse Voltage	100	V
I _{F(AV)}	Average Rectified Forward Current, T _c = 120°C	10 (Per Leg) 20 (Per Device)	А
I _{FSM}	Peak Forward Surge Current, 8.3mS Half Sine wave	150	A
T _{STG}	Storage Temperature Range	-55 to 150	°C
TJ	Operating Junction Temperature	150	°C

* These ratings are limiting values above which the serviceability of any semiconductor device may be impaired.

Thermal Characteristics* T_a = 25°C unless otherwise noted

Symbol	Parameter	Max.	Unit
$R_{ heta JC}$ The	ermal Resistance, Junction to Case per Leg	1.5	°C/W
R _{θJA} The	ermal Resistance, Junction to Ambient per Leg	62.5	°C/W

* JESD51-10

Electrical Characteristics^{*} $T_a = 25^{\circ}C$ unless otherwise noted

Symbol	Parameter	Test Condition	Min.	Max.	Unit
I _R	Reverse Current	$\begin{array}{ll} V_{R}{=}100V & T_{c}{=}25\ ^{\circ}C \\ V_{R}{=}100V & T_{c}{=}125\ ^{\circ}C \end{array}$		0.2 5	mA
V _F	Forward Voltage	$ \begin{array}{ll} I_{F}{=}10A & T_{c}{=}25\ ^{\circ}C \\ I_{F}{=}10A & T_{c}{=}125\ ^{\circ}C \\ I_{F}{=}20A & T_{c}{=}25\ ^{\circ}C \\ I_{F}{=}20A & T_{c}{=}125\ ^{\circ}C \end{array} $		0.8 0.7 0.9 0.8	V


* DC Item are tested by Pulse Test : Pulse Width≤300µs, Duty Cycle≤2%


© 2010 Fairchild Semiconductor Corporation MBR20100CT Rev. A0



Typical Performance Characteristics

Figure 1. Forward Current Characteristics












Figure 4. Power Derating



© 2010 Fairchild Semiconductor Corporation MBR20100CT Rev. A0



MBR20100CT — Dual High Voltage Schottky Rectifier

FAIRCHILD

SEMICONDUCTOR

TRADEMARKS

The following includes registered and unregistered trademarks and service marks, owned by Fairchild Semiconductor and/or its global subsidiaries, and is not intended to be an exhaustive list of all such trademarks.

AccuPower™ Auto-SPM™ Build it Now™ CorePLUS™ CorePOWER™ CROSSVOLT™ CTL™ Current Transfer Logic™ DEUXPEED[®] Dual Cool™ EcoSPARK[®] EfficientMax™ ESBC™ ® F Fairchild® Fairchild Semiconductor® FACT Quiet Series™ FACT FAST® FastvCore™ FETBench™ FlashWriter®* FPS™

F-PFS™ FRFET® Global Power ResourceSM Green FPS™ Green FPS™ e-Series™ Gmax™ GTO™ IntelliMAX™ ISOPLANAR™ MegaBuck™ MIČROCOUPLER™ MicroFET™ MicroPak™ MicroPak2™ MillerDrive™ MotionMax™ Motion-SPM™ OptoHiT™ **OPTOLOGIC[®] OPTOPLANAR[®]** PDP SPM™

Power-SPM™ PowerTrench[®] PowerXS™ Programmable Active Droop™ **QFĔT** QS™ Quiet Series[™] RapidConfigure™)™ Saving our world, 1mW/W/kW at a time™ SignalWise™ SmartMax™ SMART START™ SPM[®] STEALTH™ SuperFET[®] SuperSOT™-3 SuperSOT™-6 SuperSOT™-8 SupreMOS[®] SyncFET™ Sync-Lock™

The Power Franchise®

TinyBoost™ TinyBuck™ TinyCalc™ TinyLogic® TINYOPTO™ TinyPWer™ TinyPWM™ TinyWire™ TriFault Detect™ TRUECURRENT™*



UHC[®] Ultra FRFET™ UniFET™ VCX™ VisualMax™ XS™

* Trademarks of System General Corporation, used under license by Fairchild Semiconductor.

DISCLAIMER

FAIRCHILD SEMICONDUCTOR RESERVES THE RIGHT TO MAKE CHANGES WITHOUT FURTHER NOTICE TO ANY PRODUCTS HEREIN TO IMPROVE RELIABILITY, FUNCTION, OR DESIGN, FAIRCHILD DOES NOT ASSUME ANY LIABILITY ARISING OUT OF THE APPLICATION OR USE OF ANY PRODUCT OR CIRCUIT DESCRIBED HEREIN; NEITHER DOES IT CONVEY ANY LICENSE UNDER ITS PATENT RIGHTS, NOR THE RIGHTS OF OTHERS. THESE SPECIFICATIONS DO NOT EXPAND THE TERMS OF FAIRCHILD'S WORLDWIDE TERMS AND CONDITIONS, SPECIFICALLY THE WARRANTY THEREIN, WHICH COVERS THESE PRODUCTS.

LIFE SUPPORT POLICY

FAIRCHILD'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF FAIRCHILD SEMICONDUCTOR CORPORATION.

As used herein:

- Life support devices or systems are devices or systems which, (a) are
 intended for surgical implant into the body or (b) support or sustain life,
 and (c) whose failure to perform when properly used in accordance
 with instructions for use provided in the labeling, can be reasonably
 expected to result in a significant injury of the user.
- A critical component in any component of a life support, device, or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

ANTI-COUNTERFEITING POLICY

Fairchild Semiconductor Corporation's Anti-Counterfeiting Policy. Fairchild's Anti-Counterfeiting Policy is also stated on our external website, www.fairchildsemi.com, under Sales Support.

Counterfeiting of semiconductor parts is a growing problem in the industry. All manufacturers of semiconductor products are experiencing counterfeiting of their parts. Customers who inadvertently purchase counterfeit parts experience many problems such as loss of brand reputation, substandard performance, failed applications, and increased cost of production and manufacturing delays. Fairchild is taking strong measures to protect ourselves and our customers from the proliferation of counterfeit parts. Fairchild strongly encourages customers to purchase Fairchild parts either directly from Fairchild or from Authorized Fairchild Distributors who are listed by country on our web page cited above. Products customers buy either from Fairchild directly or from Authorized Fairchild Distributors are genuine parts, have full traceability, meet Fairchild's quality standards for handling and storage and provide access to Fairchild's full range of up-to-date technical and product information. Fairchild and uraranty coverage or other assistance for parts bought from Unauthorized Sources. Fairchild is committed to combat this global problem and encourage our customers to do their part in stopping this practice by buying direct or from authorized distributors.

PRODUCT STATUS DEFINITIONS

Definition of Terms

Datasheet Identification	Product Status	Definition
Advance Information	Formative / In Design	Datasheet contains the design specifications for product development. Specifications may change in any manner without notice.
Preliminary	First Production	Datasheet contains preliminary data; supplementary data will be published at a later date. Fairchild Semiconductor reserves the right to make changes at any time without notice to improve design.
No Identification Needed	Full Production	Datasheet contains final specifications. Fairchild Semiconductor reserves the right to make changes at any time without notice to improve the design.
Obsolete	Not In Production	Datasheet contains specifications on a product that is discontinued by Fairchild Semiconductor. The datasheet is for reference information only.
· · · · · · · · · · · · · · · · · · ·		Rev. 150