

COLLECTOR CURRENT = 5 AMPS NPN TYPES

Device No	Case	VCBO Volts	VCEO (sus) Volts	VEBO Volts	hFE		VCE	IC	VCE (sat)	VBE (sat)	@ IC	@ IB	θ_{JC} °C/W	Ft MHz
					Min	Max								
2N2150	TO-111	125	80	8	20	60	5	1	1.25	2	1	.1	3.33	30
2N2151	TO-111	125	80	8	40	120	5	1	1.25	2	1	.1	3.33	30
2N2657	TO-5	80	60	8	40	120	2	1	.5	1.5	1	.1	25	60
2N2658	TO-5	100	80	8	40	120	2	1	.5	1.5	1	.1	25	60
2N2849	TO-5	100	80	5	100	300	1	1	.4	1.2	1	.02	25	60
2N2849-1	TO-5	100	80	5	100	300	1	1	.4	1.2	1	.02	25	60
2N2849-2	TO-111	100	80	5	100	300	1	1	.4	1.2	1	.02	3.33	60
2N2849-3	TO-5 STUD	100	80	5	100	300	1	1	.4	1.2	1	.02	25	60
2N2850	TO-5	100	80	5	40	120	1	1	.25	1.2	1	.5	25	60
2N2850-1	TO-5	100	80	5	40	120	1	1	.25	1.2	1	.5	25	60
2N2850-2	TO-111	100	80	5	40	120	1	1	.25	1.2	1	.5	3.3	60
2N2850-3	TO-5 STUD	100	80	5	40	120	1	1	.25	1.2	1	.5	25	60
2N2851	TO-5	100	80	5	40	120	1	1	.4	1.2	1	.5	25	60
2N2851-1	TO-5	100	80	5	40	120	1	1	.4	1.2	1	.5	25	60
2N2851-2	TO-111	100	80	5	40	120	1	1	.4	1.2	1	.5	3.3	60
2N2851-3	TO-5 STUD	100	80	5	40	120	1	1	.4	1.2	1	.5	25	60
2N2852	TO-5	100	80	5	20	60	1	1	.4	1.2	1	.1	25	60
2N2852-1	TO-5	100	80	5	20	60	1	1	.4	1.2	1	.1	25	60
2N2852-2	TO-111	100	80	5	20	60	1	1	.4	1.2	1	.1	3.3	60
2N2852-3	TO-5 STUD	100	80	5	20	60	1	1	.4	1.2	1	.1	25	60
2N2853	TO-5	60	40	5	40	120	1	1	1.5	2	5	.5	25	60
2N2853-1	TO-5	60	40	5	40	120	1	1	1.5	2	5	.5	25	60
2N2853-2	TO-111	60	40	5	40	120	1	1	1.5	2	5	.5	3.3	60
2N2853-3	TO-5 STUD	60	40	5	40	120	1	1	1.5	2	5	.5	25	60
2N2854	TO-5	60	40	5	100	300	1	1	.4	1.2	1	.02	25	60
2N2854-1	TO-5	60	40	5	100	300	1	1	.4	1.2	1	.02	25	60
2N2854-2	TO-111	60	40	5	100	300	1	1	.4	1.2	1	.02	3.3	60
2N2854-3	TO-5 STUD	60	40	5	100	300	1	1	.4	1.2	1	.02	25	60
2N2855	TO-5	60	40	5	40	120	1	1	.4	1.2	1	.5	25	60
2N2855-1	TO-5	60	40	5	40	120	1	1	.4	1.2	1	.5	25	60
2N2855-2	TO-111	60	40	5	40	120	1	1	.4	1.2	1	.5	3.3	60
2N2855-3	TO-5 STUD	60	40	5	40	120	1	1	.4	1.2	1	.5	25	60
2N2856	TO-5	60	40	5	20	60	1	1	.4	1.2	1	.1	25	60
2N2856-1	TO-5	60	40	5	20	60	1	1	.4	1.2	1	.1	25	60
2N2856-2	TO-111	60	40	5	20	60	1	1	.4	1.2	1	.1	3.3	60
2N2856-3	TO-5 STUD	60	40	5	20	60	1	1	.4	1.2	1	.1	25	60
2N2877	TO-111	80	60	8	20	60	2	1	.25	1.2	1	.1	3.33	60
2N2878	TO-111	80	60	8	40	120	2	1	.25	1.2	1	.1	3.33	60
2N2879	TO-111	100	80	8	20	60	2	1	.25	1.2	1	.1	3.33	60
2N2880	TO-111	100	80	8	40	120	2	1	.25	1.2	1	.1	3.33	60
JAN 2N2880	TO-111	110	80	8	40	120	5	1	.25	1.2	1	.1	3.3	60
JTX 2N2880	TO-111	110	80	8	40	120	5	1	.25	1.2	1	.1	3.3	60
JTXV 2N2880	TO-111	110	80	8	40	120	5	1	.25	1.2	1	.1	3.3	60
2N2890	TO-5	100	80	5	30	90	2	1	.75	1.3	2	.2	25	60

